

## CONTENTS OF VOLUME 420

January 1990

MURPHY K., MIER Anne, ADAMS L. & GUZ A. Putative cerebral cortical involvement in the ventilatory response to inhaled CO <sub>2</sub> in conscious man.	1
DAVIES Julia R., CORBISHLEY Catherine M. & RICHARDSON P.S. The uptake of radiolabelled precursors of mucus glycoconjugates by secretory tissues in the feline trachea.	19
SAGE Stewart O., JOBSON Timothy M. & RINK Timothy J. Agonist-evoked changes in cytosolic pH and calcium concentration in human platelets: studies in physiological bicarbonate.	31
MAYER Emeran A., LOO Donald D.F., SNAPE William J. JR & SACHS George The activation of calcium and calcium-activated potassium channels in mammalian colonic smooth muscle by substance P.	47
GOLA M., DUCREUX C. & CHAGNEUX H. Ca <sup>2+</sup> -activated K <sup>+</sup> current involvement in neuronal function revealed by <i>in situ</i> single-channel analysis in <i>Helix</i> neurones.	73
STUART G.J. & REDMAN S.J. Voltage dependence of Ia reciprocal inhibitory currents in cat spinal motoneurones.	111
SHIGEMOTO Takashi & OHMORI Harunori Muscarinic agonists and ATP increase the intracellular Ca <sup>2+</sup> concentration in chick cochlear hair cells.	127
GREENE Robert W., HAAS Helmut L. & REINER Peter B. Two transient outward currents in histamine neurones of the rat hypothalamus <i>in vitro</i> .	149
OGATA Nobukuni, YOSHII Mitsunobu & NARAHASHI Toshio Differential block of sodium and calcium channels by chlorpromazine in mouse neuroblastoma cells.	165
YAMAGUCHI K. & OHMORI H. Voltage-gated and chemically gated ionic channels in the cultured cochlear ganglion neurone of the chick.	185
CHEN Qiang Xiao, STELZER Armin, KAY Alan R. & WONG Robert K.S. GABA <sub>A</sub> receptor function is regulated by phosphorylation in acutely dissociated guinea-pig hippocampal neurones.	207
BOLAND Linda M. & DINGLELINE Raymond Multiple components of both transient and sustained barium currents in a rat dorsal root ganglion cell line.	223
NEILD T.O., SHEN K.-Z. & SURPRENANT Annmarie Vasodilatation of arterioles by acetylcholine released from single neurones in the guinea-pig submucosal plexus.	247
GALLIGAN J.J., JIANG Ming-Ming, SHEN K.-Z. & SURPRENANT Annmarie Substance P mediates neurogenic vasodilatation in extrinsically denervated guinea-pig submucosal arterioles.	267
FERNANDES A., GALBO H., KJÆR M., MITCHELL J.H., SECHER N.H. & THOMAS S.N. Cardiovascular and ventilatory responses to dynamic exercise during epidural anaesthesia in man.	281
ŠTULC J., ŠTULCOVÁ B. & ŠVIHOVEC J. Transport of calcium across the dually perfused placenta of the rat.	295
GIEBISCH Gerhard, HUNTER Malcolm & KAWAHARA Katsumasa Apical potassium channels in <i>Amphiuma</i> diluting segment: effect of barium.	313

BALLANYI K. & SCHLUE W.-R. Intracellular chloride activity in glial cells of the leech central nervous system.	325
FINK R.H.A., STEPHENSON D.G. & WILLIAMS D.A. Physiological properties of skinned fibres from normal and dystrophic (Duchenne) human muscle activated by $\text{Ca}^{2+}$ and $\text{Sr}^{2+}$ .	337
GROSSMAN Yoram & KENDIG Joan J. Evidence for reduced presynaptic $\text{Ca}^{2+}$ entry in a lobster neuromuscular junction at high pressure.	355
BRÄU Michael E., DREYER Florian, JONAS Peter, REPP Holger & VOGEL Werner A $\text{K}^+$ channel in <i>Xenopus</i> nerve fibres selectively blocked by bee and snake toxins: binding and voltage-clamp experiments.	365
WUTTKE Werner A. & PENTREATH Victor W. Evidence for the uptake of neuronally derived choline by glial cells in the leech central nervous system.	387
TOKIMASA T. & AKASU T. Cyclic AMP regulates an inward rectifying sodium-potassium current in dissociated bull-frog sympathetic neurones.	409
HARRISON D.K., KESSLER M. & KNAUF S.K. Regulation of capillary blood flow and oxygen supply in skeletal muscle in dogs during hypoxaemia.	431
MATTHEWS H.R., FAIN G.L., MURPHY R.L.W. & LAMB T.D. Light adaptation in cone photoreceptors of the salamander: a role for cytoplasmic calcium.	447
HONGO Toshinori, KUDO Norio, OGUNI Eiichi & YOSHIDA Kaoru Spatial patterns of reflex evoked by pressure stimulation of the foot pads in cats.	471
WARD S.A. & WHIPP B.J. Erratum: <i>Journal of Physiology</i> <b>411</b> (1989)	489
CRONE C. & NIELSEN J. Erratum: <i>Journal of Physiology</i> <b>416</b> (1989)	491

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

22-23 September 1989

Edinburgh Meeting

DEMONSTRATIONS

KELLY P.A.T., LAWSON A.L.B. & SHARKEY J. An electromagnetic device for stimulating vibrissae in conscious rats to allow studies of the coupling of local cerebral blood flow to metabolic demand.	2P
DEARDEN N.M., LAWSON A., MILLER J.D. & PIPER I. A microcomputer-based pressure waveform analysis system.	3P
GILLIES K., PRICE D.J. & SPEARS N. The use of bromodeoxyuridine to label proliferating cells in the nervous system of the fetal mouse.	4P
DONALDSON I.M.L. & KNOX P.C. Interaction between the effects of vestibular stimuli and those of passive eye movements on units in the brain stem of the pigeon.	5P
ARBLASTER L.A. & LAKIE M. Simultaneous bilateral recording of human tremor.	6P
LAKIE M., POWERS N., WALSH E.G. & WRIGHT G.W. Vibration-induced hypotonia of the human forearm.	7P
FELLOWS S.J., ROSS H.F. & THILMANN A.F. A portable system for precise evaluation of spastic muscle hypertonia in man.	8P
BURNETT H.C. A model of obstructive sleep apnoea in the anaesthetized rabbit.	9P
MOORES C. High-frequency pulmonary ventilation and human lung mucus thixotropy.	10P
GOSDEN R.G. Restoration of fecundity to sterilized mouse ovaries by transferring immature follicles.	11P
MORRISON-LOW A.D. The use of the saccharimeter in nineteenth century physiology	12P
DU FEU Dave, STEEDMAN Wilma M. & ZACHARY Stan Analysis of the temporal pattern of the discharges of multireceptive neurones in the lumbar dorsal horn of the cat, using the S language.	13P
AMJAD A.M., BREEZE P., CONWAY B.A., HALLIDAY D.M. & ROSENBERG J.R. The application of third-order cumulants to the analysis of the association between spike trains.	14P
DUGGAN A.W., HOPE P.J. & MCCONNELL G. Computerized image analysis and sorting of antibody microprobes.	15P
RIBCHESTER R.R. Acetylcholine-induced local contractions in isolated voltage-clamped mouse skeletal muscle fibres.	16P
WATSON W.E. Simulation of a burned patient for close IBM compatibles.	16P

COMMUNICATIONS

ASSELMAN P.T. & BARNES G.R. The contribution of predictive mechanisms to smooth eye movement control in humans.	17P
BRITTON T.C., BROWN P., DAY B.L., MARSDEN C.D., ROTHWELL J.C. & THOMPSON P.D. Patterned electromyographic responses to galvanic ear stimulation in man.	18P
BRITTON T.C., BROWN P., DAY B.L., MARSDEN C.D., MERTON P.A., ROTHWELL J.C., THOMPSON P.D. & UGAWA Y. Can the cerebellum be stimulated through the intact scalp in man?	19P
AMASSIAN V.E., BIGLAND-RITCHIE B., CRACCO R.Q. & MACCABEE P.J. Motor unit fields mapped by focal magnetic coil stimulation of human motor cortex.	20P
DIETZ V., GOLLHOFFER A., HORSTMANN G.A. & TRIPPEL M. Postural adjustments and gravity studied in man.	21P
FARMER Claire, FARMER S.F., HALLIDAY D.M., ROSENBERG J.R. & STEPHENS J.A. Coherence analysis of motor unit firing recorded during voluntary contraction in man.	22P
BUTCHART Pamela, FARQUHAR Ruth, PART N.J. & ROBERTS R.C. Reduced presynaptic inhibition of ankle extensor Ia afferents in patients with Parkinson's disease.	23P
BRUCE W.G., LESLIE G.C., MUTCH W.J. & PART N.J. Maximum rates of change of knee joint angle during voluntary extension in healthy elderly subjects and patients with Parkinson's disease.	24P

MOLenaar P.C., PLOMP J.J. & VAN KEMPEN G.Th.H. Differences between the dilator naris and diaphragm muscles of 'myasthenic' rats.	25P
ASGARI-KHOZANKALAEI A. & GLADDEN Margaret H. Recruitment of intrafusal muscle fibres from the sensorimotor cortex in tenuissimus muscles of cats under barbiturate anaesthesia.	26P
HÄUSSER M.A. & YUNG W.H. Bursting and non-bursting neurones in the guinea-pig substantia nigra pars compacta <i>in vitro</i> .	27P
HARTELL Nick A., HEADLEY P. Max & PARSONS Chris G. The degree of surgical intervention influences the potency with which injectable anaesthetics depress spinal nociceptive reflexes in the adult rat.	28P
HARTELL Nick A. & HEADLEY P. Max Comparison of the spinal reflex depression and the behavioural sedation caused by four anaesthetics in the rat.	29P
ADAL M.N. & BANKS R.W. Ultrastructural observations on native and foreign reinnervation of muscle spindles in relation to mechanosensory function in the anaesthetized cat.	30P
DUGGAN A.W., FLEETWOOD-WALKER S.M., HOPE P.J., JARROTT B. & SCHAIBLE H.G. Antibody microprobe studies of the release of neurokinin A in the dorsal horn of the anaesthetized cat.	31P
FLEETWOOD-WALKER S.M., HOPE P.J., MITCHELL R. & MOLONY V. Effects of receptor-selective tachykinins in the superficial dorsal horn on thermal nociceptive transmission in the anaesthetized cat.	32P
BIRRELL G.J., GRUBB B.D., IGGO A. & McQUEEN D.S. Actions of PGE <sub>2</sub> and cicaprost on the sensitivity of high-threshold mechanoreceptors in normal and inflamed ankle joints of the anaesthetized rat.	33P
BIRRELL G.J., GRUBB B.D., IGGO A. & McQUEEN D.S. Sensitization of joint capsule C- and A- $\delta$ high-threshold mechanoreceptors by 5-hydroxytryptamine (5-HT) in anaesthetized normal and arthritic rats.	34P
CLARKE R.W., FORD T.W., HARRIS J. & TAYLOR J.S. Long-lasting facilitation of the sural-gastrocnemius reflex caused by noxious stimulation of the heel in the decerebrated and spinalized rabbit.	35P
APPS R. & LIDIERTH M. Excitability changes in spino-olivocerebellar paths that terminate in the c <sub>2</sub> zone studied during locomotion in the awake cat.	36P
EDGLEY S.A. & GRANT G.M. Spinocerebellar tract cells in the sacral segments of the spinal cord of the anaesthetized rat.	37P
HARRISON P.J. & RIDDELL J.S. A group II activated ascending tract originating in the lumbosacral cord of the anaesthetized cat.	38P
CERVERO F., NEUGEBAUER V., SCHAIBLE H.-G. & SCHMIDT R.F. Changes in tonic descending inhibition of spinal cord neurones induced by acute inflammation of the knee joint in anaesthetized cats.	39P
BROWN A.G., CHRISTIE W.M., MAXWELL D.J. & SHORT A.C. Boutons containing $\gamma$ -aminobutyric acid are presynaptic to spinocervical tract neurones in the cat's spinal cord.	40P
DICKENSON A.H. & HALEY J.E. Evidence for N-methyl-D-aspartate receptor involvement in prolonged chemical nociception in the anaesthetized rat.	41P
BATTEN T.F.C., MAQBOOL A., STEINBUSCH H.W.M. & VAUGHAN P.F.T. Immunohistochemical and chromatographic detection of dopamine in the medulla oblongata of the cat brain.	42P
BATTEN T.F.C., BUIJS R.M., McWILLIAM P.N. & MAQBOOL A. Relationships between $\gamma$ -aminobutyric acid (GABA)-immunoreactive nerve terminals and retrogradely labelled vagal afferent fibres and motoneurones in the cat medulla oblongata.	43P
DICKENSON A.H., MAGNUSON D.S.K. & SULLIVAN A.F. The actions of morphine and naloxone on synaptically and L-glutamate elicited activity of rat dorsal horn neurones <i>in vitro</i> .	44P
CAHUSAC P.M.B. & ROLLS E.T. Modifications of neuronal responses to natural inputs paired with activation of the postsynaptic neurone by ionophoretic L-glutamate in the macaque hippocampus.	45P
DAW N.W., FOX K. & SATO H. The effect of varying stimulus intensity on NMDA receptor activity in anaesthetized cat visual cortex.	46P
EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER S. At what level is the corticospinal pathway excited by electromagnetic and percutaneous electrical stimulation of the brain? Evidence from the anaesthetized macaque monkey.	47P
BAXENDALE R.H., FERRELL W.R. & WALLACE K.R. The effects of nociceptive input on the excitation of soleus motor units by knee joint mechanoreceptors in the decerebrate cat.	48P
JÜCH P.J.W. & SCHAAFSMA A. Enhancement of tonic vibration and tonic stretch reflex by stimulation of the locus coeruleus in the anaesthetized rat.	49P
MCCARTHY T., NEWHAM D.J. & TURNER J. Activation of the human quadriceps under dynamic conditions.	50P

BASSEY E.J., DELBRIDGE A.T. & SHORT A.H. The effect of limb joint angles on the extensor power output of the leg in man.	51P
VANDEWALLE H. Aerobic kinetics and exhaustion time during supramaximal exercise in man. A theoretical study.	52P
LEIPER J.B., MAUGHAN R.J. & VIST G.E. Choice of sampling site may influence the interpretation of results of blood analysis in exercising man.	53P
BEELEN A. & SARGEANT A.J. Effect of cold legs on the response to exercise in humans.	54P
GOLDSMITH R., HAMPTON I.F.G., LAYMAN D.B. & RANTELL J.V. Cold exposure of men on an Antarctic expedition.	55P
BROWN Sally F., CAVE R. & GLEESON M. Haematological response to repeated isometric exercise in man.	56P
KEMPER H.C.G., KOK M.L.J., MAAS S. & WESTRA H.G. Validity of the use of heart rate in estimation of oxygen uptake in static and in combined static/dynamic exercise in man.	57P
AARNOUDSE J.G., SMITS T.M. & ZIJLSTRA W.G. Fetal scalp blood flow as recorded by laser Doppler flowmetry in relation to transcutaneous $P_{O_2}$ and $P_{CO_2}$ during labour in humans.	58P
TENVOORDE B.J. Vasomotor baroreflex induces hemodynamic oscillations in humans.	59P
DE JONG H.A.A., KORTSCHOT H.W. & OOSTERVELD W.J. The caloric vestibular test in humans revised.	60P
MIALL R.C. Internal representation of human arm movements in visually guided tracking tasks.	61P
DIETZ V., DUYSSENS J. & TRIPPEL M. Phase-dependent reflex reversal during human walking.	62P
ANDREWS B.J., BAXENDALE R.H., GRANAT M.H. & NICOL D.J. Variability in long-latency flexion reflexes in humans may limit restoration of locomotion by electrical stimulation.	63P
KROON G.W. & NAEIJE M. Recovery from severe isometric, concentric or eccentric contractions in the human biceps muscle.	64P
DUBOWITZ Gerald. An investigation into the effects of acute exposure to hypoxic gas mixtures on human muscle fatigue.	65P
PATBERG W.R., ZIJLSTRA W.G. & ZOCK J.P. Afferent impulses in non-myelinated vagal fibres are involved in respiratory reflexes in the anaesthetized rabbit.	66P
DAVIES A. & PACK R.J. Lung reflexes in anaesthetized rabbits with pulmonary fibrosis.	67P
ANDERSON L.S., BUTLER P.J., SNOW D.H. & WOAKES A.J. The effect of gait on ventilation in the exercising thoroughbred race horse.	68P
GREENHAFF P.L., HARRIS R.C. & SNOW D.H. The effect of sodium bicarbonate ( $NaHCO_3$ ) administration upon exercise metabolism in the thoroughbred horse.	69P
RUSSELL J.A. & SUMNER B.E.H. Pregnancy reduces the density of $\mu$ -type opioid receptors in the supraoptic nucleus (SON) of the rat: <i>in vitro</i> $^3H$ -ligand-binding study.	70P
LENG G., PUMFORD K. & RUSSELL J.A. Actions of the $\kappa$ -type opioid receptor agonist U50,488H on oxytocin neurones in the supraoptic nucleus (SON) in normal and morphine-tolerant urethane-anaesthetized rats.	71P
COLES J.A. & POULAIN D.A. Local increases in extracellular $[K^+]$ in the supraoptic nucleus during the milk ejection reflex in the anaesthetized rat.	72P
FINK G. & SHEWARD W.J. Glucocorticoid feedback and the secretion of CRF-41, vasopressin and oxytocin in long-term hypophysectomized rats anaesthetized with pentobarbitone.	73P
CAMPBELL E.A., FAIRHALL K.M. & ROBINSON I.C.A.F. Control of ACTH secretion from the guinea-pig anterior pituitary gland <i>in vitro</i> .	74P
KENDRICK K.M. & ROBINSON J.E. Changes in the release of GABA in the preoptic area (POA) prior to the preovulatory surge of luteinizing hormone (LH) in the conscious ewe.	75P
FINK G., JOHNSON M.S. & MITCHELL R. Effects of protein kinase C inhibitors on the priming effect of LHRH in rat anterior pituitary glands <i>in vitro</i> .	76P
BLACKBURN Ruth E. & LENG G. Lesion of the antero-ventral third ventricular region (AV3V region) does not abolish oxytocin release in response to systemic cholecystokinin (CCK) in the anaesthetized rat.	77P
MOISAN M.-P., SECKL J.R. & WATKIN EDWARDS C. $11\beta$ -Hydroxysteroid dehydrogenase activity in rat cerebellum <i>in vitro</i> .	78P
ANTONI F.A. & DAYANITHI G. Blockers of potassium ion channels reverse the inhibition of rat pituitary adrenocorticotrophin release by atriopeptin <i>in vitro</i> .	79P
ANTONI F.A. & DAYANITHI G. Inhibition of stimulus-evoked corticotrophin release by isolated rat anterior pituitary cells <i>in vitro</i> : different mechanisms of action for cyclic GMP and corticosteroids.	80P

ABEYASEKERA G., DATTA H.K., MACINTYRE I., MOONGA B.S., PATCHELL A. & ZAIDI M. G proteins mediate the acute effects of calcitonin on isolated rat osteoclasts.	81P
JOLES J.A., KOOMANS H.A. & WILLEKES-KOOLSCHIJN N. Intake and renal excretion of NaCl in Nagase analbuminaemic rats.	82P
FELLOWS S.J., ROSS H.F. & THILMANN A.F. Mechanical alterations in the flexibility of the spastic human ankle joint.	83P
NOTH J. & SCHWARZ M. Long-latency responses in human hand muscles evoked by low-threshold proprioceptors.	84P
COLLINS Anthony & HILGEMANN Donald W. Sodium-calcium exchange current in giant excised cardiac sarcolemmal membrane patches from guinea-pig.	85P
ISENBERG Gerrit & WENDT-GALLITELLI Maria Flora X-ray microprobe analysis of sodium concentration reveals large transverse gradients from the sarcolemma to the centre of voltage-clamped guinea-pig ventricular myocytes.	86P
ARLOCK P., NOBLE M.I.M. & WOHLFART B. Cardiac cell membrane repolarization is required for the onset of mechanical restitution in isolated ferret ventricular muscle.	87P
CUMMING Debbie, HOLMBERG Stephen, KUSAMA Yoshi, SHATTOCK Michael & WILLIAMS Alan Effects of reactive oxygen species on the structure and function of the calcium-release channel from isolated sheep cardiac sarcoplasmic reticulum.	88P
CHAPMAN R.A. & RODRIGO Glenn C. An estimation of the ratio of the Na influx through the Ca channels and the Na efflux via the Na pump in isolated guinea-pig ventricular myocytes exposed to Ca-free, Mg-free media.	89P
CRAWFORD A.C. & KROS C.J. A fast calcium current with a rapidly inactivating component in isolated inner hair cells of the guinea-pig.	90P
MARTIN R.J. & PENNINGTON A.J. Acetylcholine-activated single channel currents from isolated <i>Ascaris suum</i> muscle.	91P
FELTZ P. & ZHANG Z.W. Nicotinic acetylcholine (ACh) responses on isolated pars intermedia cells.	92P
ASHFORD M.L.J., BODEN P.R. & TREHERNE J.M. Sulphonylurea excitation of dissociated glucose-responsive hypothalamic neurones in the rat.	93P
SIEGENBEEK VAN HEUKELOM J. The anomalous rectifier in isolated mouse muscle fibres with low extracellular potassium.	94P
EIDNE K.A., HOUSE C.R., PLANT S., TAYLOR P.L. & YOSHIDA S. Activation of gonadotrophin-releasing hormone receptors expressed in <i>Xenopus laevis</i> oocytes induces a chloride current.	95P
COTTRELL G.A., GREEN K.A. & POWELL B. Unitary outward currents with the properties of potassium A-currents in growth cones and perikaryon of an isolated identified <i>Helix</i> neurone.	96P
DICKENS C.J., GILLESPIE J.I. & GREENWELL J.R. Control of intracellular pH ( $\text{pH}_i$ ) and its effects on intracellular calcium ( $\text{Ca}_i^{2+}$ ) in migrating avian neural crest cells.	97P
JONGSMA H.J. & ROOK M.B. Electrical and immunological characteristics of gap junctions between neonatal rat cardiac myoblasts and fibroblasts in culture.	98P
VAN DER KLOOT W. Intracellular calcium and the down regulation of quantal size at isolated frog neuromuscular junctions.	99P
CHAPMAN R.A. & CHAPMAN Veronique P. The origin of the Physiological Society's dog.	100P
DUTIA M.B. & PRICE R.F. Response to stretching of identified $\text{b}_2\text{c}$ spindle afferents in the anaesthetized cat.	101P
SCOTT J.J.A. Effects of regeneration-promoting treatments on muscle spindle recovery after nerve-crush injury in the anaesthetized cat.	102P
CADDEN S.W. & NEWTON J.P. Modulation of an inhibitory jaw reflex by widespread noxious thermal stimuli in humans.	103P
APPENTENG Kwabena & CURTIS John C. <i>In vitro</i> recordings from cells in the rat V motor nucleus.	104P
DONALDSON I.M.L. & PORTER J.D. Brain stem terminations of extraocular muscle primary afferents in the cat.	105P
DONALDSON I.M.L. & KNOX P.C. Afferent signals from the extraocular muscles affect vestibular responses in oculomotor nuclei of the pigeon.	106P
VAN DER STEEN J. & VAN HOF J.W. The relation between the threshold of tilt discrimination and retinal image stability in the rabbit.	107P
MORLAND A.B. & RUDDOCK K.H. Observer differences in the spectral characteristics of the deuteranope's red-sensitive response mechanism correlate with light absorption in the macular pigment.	108P

REEH P.W. & WADDELL P.J. A comparison of the adaptation of rat cutaneous sensory receptors and their cell bodies <i>in vitro</i> .	109P
HAVENITH M.G., LUCAS C.M.H.B., PENN C.K.M., VAN DER VEEN F.H. & WELLENS H.J.J. Canine latissimus dorsi muscle stimulation after transformation.	110P
DE HAAN A. & LODDER M.A.N. Fatiguability of skeletal muscle in relation to shortening velocity in the anaesthetized rat.	111P
DE HAAN A. & LODDER M.A.N. Fatigue of skeletal muscle during repetitive contractions with pre-stretch in the anaesthetized rat.	112P
ELZINGA G. & VAN DER LAARSE W.J. Oxygen consumption related to tetanic contractions of single slow-twitch muscle fibres of <i>Xenopus laevis</i> .	113P
CROWE A., DE BEER E.L., GRUNDEMAN R.L.F., SCHIERECK P. & VEENENDAAL A. Can force development beyond overlap in skinned gracilis muscle fibres of the rabbit be explained by myosin shortening?	114P
BERSHITSKY S.Y. & TSATURYAN A.K. Effect of $Ca^{2+}$ on the tension response to the Joule temperature jump in skinned muscle fibres from the rabbit.	115P
LÄNNERGREN J. Volume changes of isolated <i>Xenopus</i> muscle fibres associated with repeated tetanic contractions.	116P
FOWLER W.S. Histochemical staining of lobster muscle demonstrates no ATPase pH reversal.	117P
NEIL D.M. & TOBASNICK G. Myofibrillar protein heterogeneity reveals two slow fibre subtypes in the abdominal superficial flexor muscle of the Norway lobster.	118P
ANDERSON A.J. & PATMORE L. The effects of RS 30026 on calcium channel currents in cultured embryonic chick cardiac myocytes.	119P
CERRETELLI P., COSTA M., FERRIGNO M., LUNDGREN C.E. & MARCONI C. Gas exchange and energy metabolism during deep breath-hold diving in elite human divers.	120P
BORGENDORFF P. & VERLATO G. Endogenous adenosine enhances vagal negative chronotropic effect during hypoxia in the anaesthetized rabbit.	121P
CHEN L.X., MCWILLIAM P.N. & YANG T. Inhibition of the cardiac component of the baroreceptor reflex by contraction of hindlimb muscles in the decerebrate cat.	122P
GOLDSMITH G.E., PATON J.F.R., SILVA-CARVALHO L. & SPYER K.M. Attenuation of excitability of baroreceptive neurones in the nucleus tractus solitarii (NTS) during electrical stimulation of the posterior vermis in the decerebrate rabbit.	123P
VERGROESEN Isabelle Coronary wedge pressure as estimate for coronary back pressure in the anaesthetized goat.	124P
COUMANS W.A., SNOECKX L.H.E.H. & VAN DER VUSSE G.J. Adverse effects of <i>in vitro</i> global ischaemia and reperfusion on compensated hypertrophied rat hearts.	125P
DANKELMAN Jenny & SPAAN Jos A.E. Coronary venous response to a heart rate step in the anaesthetized goat.	126P
BORGENDORFF P., BURATTINI R., DUIJST P., GROSS D.R. & WESTERHOF N. Short-term systemic autoregulation in the anaesthetized dog.	127P
BIGGS T., DRAKE-HOLLAND A.J., HARDMAN S.M.C., NOBLE M.I.M., PUGH S.E. & SEED W.A. A multi-electrode catheter for simultaneous pacing and registration of endocardial action potential in man.	128P
ARTS T., OFFERMANS M.T.C. & PRINZEN F.W. Determination of fibre stress in the isolated working rabbit heart using the left ventricular cavity-to-wall volume ratio.	129P
ALLESSIE M.A. & KIRCHHOFF C.J.H.J. Recovery of sinus rhythm after spontaneous termination of atrial fibrillation in the isolated rabbit heart.	130P
ARTS T., AUGUSTIJN C.H., DELHAAS T. & PRINZEN F.W. Regional and total left ventricular mechanical performance during asynchronous electrical activation in anaesthetized open-chest dogs.	131P
ALLESSIE M.A. & KIRCHHOFF C.J.H.J. The origination of activation waves from the sinus node during atrial fibrillation in the isolated rabbit heart.	132P
LOISELLE D.S., VAN BEEK J.H.G.M. & WESTERHOF N. Diffusion of oxygen across the surface of the isolated perfused guinea-pig heart is not negligible.	133P
OUDE EGBRINK M.G.A., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Interaction between leucocytes and platelets following vessel wall injury in venules of the exposed mesentery in the anaesthetized rabbit.	134P
JANSSENS C.J.J.G., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Differentiation <i>in vivo</i> of leucocytes rolling in mesenteric venules of anaesthetized rabbits.	135P

DONOSO P., EISNER D.A. & O'NEILL S.C. Biphase development of the caffeine contracture in isolated rat myocytes.	136P
DIETRICH D.L.L. & ELZINGA G. In rabbit papillary muscle at 20 °C can glycolysis provide ATP at a rate sufficient to maintain basal metabolism in hypoxia?	137P
DE BEER E.L., VAN DER BERG C., VAN BUUREN K.J.H., GRUNDEMAN R.L.F. & SCHIERECK P. Characteristics of barium- and strontium-induced contractions in freeze-dried skinned heart muscle preparations of the rabbit.	138P
GULATI Jagdish The mechanism of thin-filament co-operativity in skinned fibre of rabbit psoas muscle with a bacterially synthesized mutant of cardiac troponin C.	139P
MACKENZIE Bryan, PAGE Kenneth & PAYNE Ruth Effect of cadmium on natriferic response to antidiuretic hormone in isolated frog skin.	140P
GIEBISCH G. & UNWIN R.J. Evidence for a direct effect of vasoactive intestinal polypeptide (VIP) and sulphated cholecystokinin octapeptide (CCK8) on the rat loop of Henle: a microperfusion study in anaesthetized rat.	141P
VAN HOEK A.N. & VAN OS C.H. Inhibition of water channels in isolated rat renal cortical plasma membranes by dimethylsulphoxide and mercuric sulphhydryl reagents.	142P
BROWN D., MASON W.T., SIKDAR S.K. & ZOREC R. Intracellular dialysis with non-hydrolysable GTP analogues affects Ca-induced exocytosis in bovine pituitary lactotrophs <i>in vitro</i> .	143P
BOVELL D.J., ELDER H.Y., JENKINSON D. McEwan & WILSON S.M. The effect of removal of extracellular Cl <sup>-</sup> on the K <sup>+</sup> ( <sup>86</sup> Rb <sup>+</sup> ) efflux from the isolated human sweat gland.	144P
LEVIN R.H. & YOUNG A. Proximal but not distal rat ileum shows adaptive responses to starvation.	145P
KAUNE R., TIMMERMAN J.A.H. & VAN OS C.H. Molecular identification of hog intestinal plasma membrane (Ca <sup>2+</sup> -Mg <sup>2+</sup> )-ATPase.	146P
ACEVEDO M., OLVER R.E. & WARD M.R. Apical Cl <sup>-</sup> and basolateral K <sup>+</sup> permeabilities in tracheal epithelium isolated from fetal and adult sheep.	147P
CHIPPERFIELD A.R., DAVIS J.P.L. & HARPER A.A. The contribution of the (Na-K-Cl) co-transport system to membrane potential in rat arterial smooth muscle <i>in vitro</i> .	148P
ELLORY J.C., HALL A.C. & ODY S.A. Is acid a more potent activator of KCl co-transport than hypotonicity in human red cells?	149P
LAW R.O. Volume-modulatory Ca <sup>2+</sup> -dependent K <sup>+</sup> loss from isolated rat renal papillary cells in hyperosmotic media: possible sources of intracellular free Ca <sup>2+</sup> .	150P
BARKER G.A. & ELLORY J.C. Multiple glycine transport systems in isolated bovine chondrocytes.	151P
HUNDAL H.S. & TAYLOR P.M. Sodium-dependent transport of neutral and cationic amino acids in <i>Xenopus</i> oocytes.	152P
HUNDAL H.S., RENNIE M.J. & TAYLOR P.M. Glutamine transport in cultured oocytes of <i>Xenopus laevis</i> .	153P
AHMED A. & RENNIE M.J. Specificity of glutamine transport in rat skeletal muscle sarcolemmal vesicles.	154P
JAY J.L., MILLER D.J., MORRISON J.D. & O'DOWD J.J. Histidyl derivatives in rabbit lens and their diminution in human cataract.	155P
HODGKISS J.P. & KELLY J.S. Intracellular recording <i>in vitro</i> from neurones in the medial preoptic area (MPOA) of male and female mice: a comparison with neurones in preoptic area (POA) grafts in <i>hpg</i> mouse mutants.	156P
ANGEL A. & HARKNESS Kirsty A. The effect of 1,2-dihydroxybenzene on the responses of cells in the somatosensory cortex of the urethane-anaesthetized rat.	156P